

FEDERAL UNIVERSITY OF TECHNOLOGY, MINNA

SCHOOL OF ELECTRICAL ENGINEERING AND TECHNOLOGY & SCHOOL OF INFRASTRUCTURE, PROCESS ENGINEERING AND TECHNOLOGY



TELEME THE ROLE OF ENGINEERING AND TECHNOLOGY IN SUSTAINABLE DEVELOPMENT







DATE: 24TH - 26TH SEPTEMBER 2019

VENUE:

CHEMICAL ENGINEERING LECTURE THEATER, FEDERAL UNIVERSITY OF TECHNOLOGY, MINNA, NIGER STATE

ENGR. DR. S.M. DAUDA, ENGR. DR. A.U. USMAN, ENGR. DR. U.S. DAUDA, ENGR. M. ABUBAKAR, ENGR. DR. E.A. AFOLABI, ENGR. DR. I.M. ABDULLAHI, ENGR. DR. (MRS) I.H. MUSTAPHA, ENGR. A.S. AHMAD, ENGR. J.G. AMBAFI, ENGR. T.A. FOLORUNSO, ENGR. U.U. BUHARI, ENGR. DR. OPE OSANAIYE, ENGR. A. YUSUF

EDITED BY



FEDERAL UNIVERSITY OF TECHNOLOGY, MINNA

SCHOOL OF ELECTRICAL ENGINEERING AND TECHNOLOGY & SCHOOL OF INFRASTRUCTURE, PROCESS ENGINEERING AND TECHNOLOGY



DATE: 24TH - 26TH SEPTEMBER 2019

THEME THE ROLE OF ENGINEERING AND **TECHNOLOGY IN SUSTAINABLE DEVELOPMENT**

MEMBERS OF THE CONFERENCE ORGANISING COMMITTEE

Engr. Dr. S.M. Dauda Engr. Dr. A.U. Usman Engr. Prof. R.A. Muriana Engr. Dr. T.W.E. Adejumo

Chairman Co-Chairman Member Member

TECHNICAL COMMITTEE

Engr. Dr. U.S. Dauda	Chairman
Engr. Dr. Eyitayo Afolabi	Member
Engr. Dr. A.I. Mohammed	Member
Engr. Dr. (Mrs) H.I. Mustapha	Member
Engr. A.S. Ahmad	Member
Engr. J.G. Ambafi	Member
Engr. T.A. Folorunso	Member
Engr. Buhari U. Umar	Member
Engr. Dr. Ope Osanaiye	Member
Engr. A. Yusuf	Member
Engr. M. Abubakar	Secretary

WELFARE COMMITTEE

Engr. Dr. M.D. Yahya	Chairman
Engr. Prof. R.A. Muriana	Member
Engr. Dr. A.J. Otaru	Member
Engr. Dr. E.A. Afolabi	Member
Engr. A. Yusuf	Member
Engr. Dr. B.A. Orhevba	Secretary

Engr. Dr. U.S. Dauda	Member
Engr. Dr. M.D. Yahya	Member
Engr. Dr. B.A. Orhevba	Member
Engr. Dr. Michael David	Secretary

LOGISTIC COMMITTEE

Engr. Prof. R.A. Muriana	Chairman
Engr. D.N. Kolo	Member
Engr. Essien Akpan	Member
Mr. Idris Akintunde	Member
Mr. Mohammed Shehu	Member
Engr. Dr. T.W.E. Adejumo	Secretary

FINANCE COMMITTEE

Engr. Dr. B.A. Orhevba	Chairman
Engr. Prof. O.A. Olugboji	Member
Engr. Dr. M.D. Yahya	Member
Engr. Dr. H.I. Mustapha	Member
Engr. Bello Abdulkadir	Member
Engr. Buhari Umar	Member
Engr. Dr. M. Alhassan	Secretary

ICT COMMITTEE

Engr. Dr. Bala A. Salihu	Chairman
Mr Emmanuel Abba	Member
Mr Alenoghena Benjamin	Member







CONTENTS

Content	CONTENTS	Page
Cover Page Table of Content Forward Acknowledgement		i ii ix x
Statistical Optimization of Biodiesel I Afangide, U. N., Olutoye, M. A, & Al	Production from Jatropha Oil Using Calcined Snail Shell Catalyst Deruagba, F.	1-5
Development of AgNPs-MWCNTs Ad Mohammed, S. M., Muriana, R. A, A	sorbent for Seawater Treatment A gboola, J. B, Abdulkareem, A. S., Kariim, I., & Yahya, M. D.	6 - 14
The Role of Engineering and Technol with Green and Sustainable Build En Hashimu, L., Halilu, A, A., & Sani, I.	ogy and Sustainable Development Reducing Carbon Emission vironment	15 – 23
Optimization and Kinetics Study of B Ogunjobi, T. O., Olutoye, M. A. & Ak	iodiesel Synthesis from Beef Tallow Using Calcium Oxide from Limes Deruagba, F.	tone 24 – 33
•	e Wastewater Using Iron Oxide Nanoparticles doped Zeolite A kareem, A.S., Adeniyi, O.D. & Yahya, M.D.	34 – 43
A Comprehensive Review on Use of I of Heavy Metals From Aqueous Solu Achanya, B. E. & M., Auta	Poly Electrolyte Complex PEC as an Adsorbent for the Removal tion.	44 – 52
Computational Fluid Dynamics Simul Usman, A. A., Onifade, K.R., Mohan	ation of FCC Regenerator of a Refinery amed, I. A., & Garba, M.U.	53 – 60
Assessment of Factors Affecting Stak Okosun, B. O., Idiake, J.E., Oyewob	eholder Management in Nigeria Construction Projects <i>i, L.O., & Shittu, A.A.</i>	61 – 64
Production using BIda Natural Stone	Aggregate with Sawdust in Light Weight Concrete as Coarse Aggregate <i>itola S. F, Mohammed S. & Kolo D. N.</i>	65 – 69
Quality Assessment of Locally Availal Muftau, O. S., Abdullahi, M., & Agu	-	70 – 76
Development of Mix Design Guide fo Okoh S. O.; Abdullahi M.; & Alhaji, E	or Normal Weight Concrete using Locally Available Materials 3.	77 – 82
Calcite Precipitate	of Compacted Lateritic Soil Improved with Microbial-Induced	92 . 01
K. J. Osinubi, E.W. Gadzama, A. O. E		83 – 91
Effects of Urban Growth on Surface - Abdulsamad Isah & Abubakar A.S.	Temperature in Parts of Katsina State, Nigeria	92 – 98





	O. Pr. Lindow
Kinetic Modelling and Error Analysis of the Bioremediation of Used Motor Oil Contaminated Soil Using Palm Bunch	
Ash as Stimulant Abdulyekeen, K. A., Aliyu, A, Abdulkarim, A. Y, Salis , A., & Abdulkarim, A. S.	99 – 103
Quantitative Risk Analysis for Communication Satellite Payload	404 442
Babadoko, D . M, & Ikechukwu, A. D.	104 – 113
Characterization and Grading of South Eastern Nigerian Grown Mangifera Indica Timber in	
Accordance with British Standard 5268	
Mbakwe C.C., Aguwa J.I., & Oritola S.F.	114 – 120
Characterization of Palm Kernel Shell as Lightweight Aggregate in Concrete Production	
Sunday I .O., Aguwa J.I. & Auta S.M.	121 – 125
Integrated Coophysical Investigation of the Failed Dartion of Minna Zungary Dood	
Integrated Geophysical Investigation of the Failed Portion of Minna-Zungeru Road, Minna Niger State	
Osheku, G. A., Salako, K. A, & Adetona, A. A	126 – 132
Partial Replacement of Fine Aggregate with Waste glass in Concrete made from Bida Natural Aggregate	
Alhaji B., Kolo, D. N., Abubakar M., Yusuf A., Abdullahi, A. and Shehu, M.	133 – 137
Assessment of the Compressive Strength of Concrete Produced with Fine Aggregate from Different Locations in Minna	
Aminulai, H. O., Abdullahi, A., Abdulrahman, H. S., Alhaji, B., Joseph, O. F., Aliyu, S. Y.	138 – 143
Response Surface Optimisation of the Adsorption of Cu (II) from Aqueous Solution by Crab Shell Chitosan	
Babatunde E. O., Akolo S. A., Ighalo J. O. & Kovo A. S.	144 – 151
The Linear Transformation of a Block Hybrid Runge-Kutta type Method for Direct	
Integration of First and Second Order Initial Value Problem	
Muhammad, R., Yahaya, Y.A., & Abdulkareem, A.S.	152 -154
Groundwater Potential Mapping in Bosso Local Government Area, Niger State, Nigeria	
Abubakar, U.B. & Muhammed, M.	155 – 159
Optimization of Synthesis Parameters of Silica from Bentonite Clay Using Acid Leaching	
Ogwuche, A. S., Auta, M., & Kovo, A. S.	160 – 163
Chemical and Mineralogical Characterization of Locally Sourced Nigerian Clay	464 467
Sumanu, O. M., Dim, P.E. & Okafor, J. O.	164 – 167
Production and Optimization of Bioethanol from Watermelon Rind using	
Saccharomyces Cerevisiae	
Igbonekwu, C . A., Afolabi, E. A., Nwachukwu, F.O.	168 – 173
Use of Carbide Waste as a Mineral Filler in Hot Mix Asphalt	
Murana, A.A. & Musa, Y.	174 – 182
Peview of Rio Oil Upgrading from Riomass Purchasis	
Review of Bio Oil Upgrading from Biomass Pyrolysis Abdullahi, M. A, Garba, M. U, Eterigho E. J, & Alhassan, M.	183 – 192
· · · · · · · · · · · · · · · · · · ·	



Optimization study of Deacetylation Process in the Synthesis of Chitosan from Red Shrimp	
Using Response Surface Method	
Atanda, A. S, Jimoh, A. & Ibrahim, A.A.	193 – 204
Optimisation Study on the removal Pb(II), Cd(II) and Ni(II) from Pharmaceutical Wastewater using Carbonized African Giant Snail Shell (<i>Archachatina marginata</i>) as an Adsorbent. Olanipekun, O., Aboje, A. A, Auta, M.	205 – 215
Ground Electromagnetic Prospecting for Potential Ore Mineralisation Zones in Tsohon- Gurusu Area of Minna, North Central Nigeria Ogale, O. D, Rafiu, A. A., Alhassan, D. U., Salako K. A., Adetona A. A. & Unuevho C.	216 – 222
Magnetic and Geoelectrical Prospecting for Gold Mineralisation Within Tsohon-Gurusu Area, Part of Sheet 164 Minna, North-Central Nigeria Omugbe, L. E, Salako, K. A, Unuevho, C.I, Rafiu, A. A, Alhassan, D. U, Ejepu, J. S, & Adetona, A. A .	223 -228
Road Stabilization Using Cold Bitumen for Low Traffic Road Kolo S. S., Jimoh, Y. A., Alhaji, M.M, Olayemi, J. & Shehu, M.	229 – 233
Sawdust Ash Stabilization of Weak Lateritic Soil Kolo S. S., Jimoh Y. A., Yusuf I. T, Adeleke O. O., Balarebe, F. & M. Shehu	234 – 238
Radio Refractive Index and Refractive Index Gradients Variation in a Tropical Environment I.M. Tukur, K.C. Igwe & J.O. Eichie	239 - 243
Vocational and Technology Education: A Viable Entrepreurship Tool for Rapid Economic Growth Kareem, W.B., Abubakar, H.O. (Mrs.), Onuh, J., Abdulrahaman, T.S., Abdullahi S.M.	244 – 249
A 2-Step Hybrid Block Backward Differentiation Formula for the Approximation of Initial Value Problems of Ordinary Differential Equations Akintububo, Ben.G & Umaru Mohammed	250 – 254
Significant Delay Factors Affecting Completion Time of Public Sector Construction Projects in Niger State Mamman, J. E., Abdullahi, A. H., Isah, L. M.	255 – 260
Communication Frequency and Effectiveness on Construction Sites in Abuja, Nigeria Mamman, J.E., Abdullahi, A.H. & Isah, M.L.	261 – 269
Contribution of Quality Management Practices towards Building Collapse in Nigeria Yunusa, H., Makinde, J. K., & Oke, A. A.	270 – 277
Assessment of Ethical Practices at Different Stages of Public Housing Delivery in Nigeria Oluwadare, D. O. & Idiake, J. E.	278 – 285
Participation of Female Quantity Surveyors in the Nigerian Construction Industry Nnamoko, C. E	286 – 292
Performance Evaluation of WUPA Wastewater Treatment Plant Idu-Industrial Area, Abuja Saidu, M., Adesiji, A. R., Asogwa, E.O., Jiya, A.M. & Haruna, S.I.	293 – 296
Evaluation of Strength Characteristics of Compacted Deltaic <i>Chikoko</i> Clay Stabilized with Rice Husk Ash T.W.E. Adejumo & B. B. Olanipekun	297 – 303








LEC	Attacks A
Parametric Oscillations in Electric Oscillatory System Enesi A.Y., Ejiogu. E. C.	419 – 423
Fenestration Effect on the Adequacy of Classroom UDD Azodo, A. P., Onwubalili, C. & Mezue T. C.	424 - 431
Prediction of Upper Limb Functional Ability in Post-Traumatic Patients Using Machine Learning. Zaiyanu Nuhu, Yeong Che Fai, Elijah David Kure, Ibrahim B. Shehu, Mahmoud Mustapha, Rabiu Al-Tanko & Khor Kang Xiang	432-441
Arduino Based Automatic Irrigation System Ibrahim Bashir Shehu, Zayyan Nuhu & Rbiu Altanko Ummaisha	442 – 448
Production and Application Potentials of Sugarcane Bagasse Reinforced Polymer Composites for Acoustic Control <i>Sanda Askira Damboama</i>	449 – 456
Electromagnetic Field analysis of a Single-phase Induction Motor based on Finite Element Method Omokhafe J. Tola, Edwin A. Umoh, Enesi A. Yahaya, Chika Idoko, Ayo Imoru	457 – 463
Parameter Investigation and Analysis for Elite Opposition Bacterial Foraging Optimization Algorithm Maliki, D, Muazu, M.B, Kolo, J.G, & Olaniyi, O.M.	464 - 471
Multi-Access Edge Computing Deployments for 5G Networks Mosudi, I. O, Abolarinwa, J, & Zubair, S.	472– 479
Suitable Propagation Models for 2.4 GHz Wireless Networks: Case Study of Gidan Kwano Campus, FUT MINNA. <i>Ogunjide, S. B., Usman, A. U., & Henry, O. O.</i>	480 – 488
A Survey on Mobile Edge Computing: Focus on MEC Deployment, Site Selection Problems and Application Scenarios. <i>Atolagbe, M. I, Osanaiye, O.</i>	489 – 496
Influence of Processing Techniques and Packaging Materials on Anti- Nutritional Properties of Soybe Orhevba, B. A., Anehi, A. & Obasa, P. A.	an Flour 497 – 503
Prospects and Challenges of Off-Grid Power Generation For Rural Communities in Nigeria – Theoretic Dangana Audu & Ikechuku A. Diugwu	cal Perspective 504 – 509
Spectrum Occupancy Measurement in the VHF Band- Results and Evaluation in the Context of Cognite Ajiboye, J.A, Adegboye, B.A, Aibinu, A.M, Kolo, J.G	tive Radio 510 – 514
Modelling and Simulation of Adaptive Fuzzy-PID Controller for Speed Control of DC Motor <i>Timothy Onyechokwa, Adegboye B. A. & A.S. Mohammed</i>	515 – 520
Implementation of Remote Patient Monitoring System using GSM/GPS Technology Umar Abdullahi, Salihu Aliyu Oladimeji, Waheed Moses Audu, Muslim Saidu, Manasseh Wayo	521 – 527
Comparism of Adaptive Neuro Fuzzy Inference System and Support Vector Machine for the Predictio Immunotherapy Warts Disease Abisoye,B.O, Abisoye, O.A, Kehinde Lawal, Ogunwede E mmanuel	n of 528 – 536



	O' for half
Prediction of Epileptic Seizure using Support Vector Machine and Genetic Algorithm Abisoye, O. A, Abisoye, B.O, Ekundayo Ayobami, & Ogunwede Emmanuel	537 – 542
The Prediction of Cervical Cancer Occurence Using Genectic Algorithm and Support Vector Machine Abisoye, O. A, Abisoye, B.O, Ekundayo Ayobami & Kehinde Lawal	543 – 549
Performance Evaluation of Ant Lion Optimization and Particle Swarm Optimization for Uncapacitated Facility Location Problem (UFLP) Shehu Hussaina & Morufu Olalere	550 – 558
Potential, Barriers and Prospects of Biogas Production in North- Central Nigeria Ahonle Jennifer Eferi & Adeoye Peter Aderemi	559 – 564
Design Analysis of Manually Operated Machine for On-Row Transplanting of Paddy Rice Ibrahim, T. M., Ndagi, A., Katun. I. M. & Anurika, U. A.	565 – 572
Investigation of Vulnerability of Oil and Gas Critical Infrastructures and Developing a Tracking Algorithm to track Malicious Attacks on the Streams	
Isah, A.O., Alhassan, J.K, Idris, I., Adebayo, O.S., Onuja, A. M.	573 – 580
Optimization of Process Variables in Bio-Waste Based Activated Carbon Preparation Using Response Surface Methodology. <i>Onuoha, D. C., Egbe, E. A. P., Abdulrahman, A. S. & Abdulkareem, A. S.</i>	581 – 589
	001 000
Development of a Petroleum Pipeline Monitoring System for Detection, Location and Characterization of Damages in Pipes <i>Aba, E. N, Olugboji, O. A, Nasir, A, Oyewole, A, & Olutoye, M. A.</i>	590 – 598
Analysis of Maximum Power Point Tracking (MPPT) Techniques under Different Atmospheric Condition Technical Review	s:
Dania, D. E, Tsado, J, Nwohu, M, & Olatomiwa, L.	599 – 608
Development OF Briquette-Powered Water Distiller Muhammadu M. M, Unugbai, J. A, Bako M. D., Abubakar J. A.	609 – 614
Impact of SVC and DG Coordination on Voltage Constrained Available Transfer Capability (VSATC) Sadiq A. A, Adamu S. S, Abubakar I. N. & Yusuf L.	615 – 619
Construction of a Solar Powered Battery Forge Adimula, M. G., Abubakre, O. K., Muriana, R. A.	620 – 625
Financial Assessment of the Flood Risk Preparedness of Some Selected States in Nigeria Idachaba , A, Makinde, J & Oke, A.	626 – 631
Development of Spin Dryer Machine Alhassan T. Yahaya & Muhammadu M. M.	632 – 641
Assessement of Quality Control Management in Sachet Water Packaging T.J Bolaji and A.A. Abdullahi	642 – 648
Survey of Tractor Usage and Parts Breakdown in Niger State, Nigeria Dauda, S. M., Abdulmalik M.K., I syaku M. I., Fr ancis A.A. & Ahmad D.	649 – 654









FORWARD

The School of Engineering and Engineering Technology, Federal University of Technology, Minna, organized the 1st and 2nd International Engineering Conference in 2015 and 2017 respectively. With the emergence of the new School of Electrical Engineering and Technology and the School of Infrastructure, Process Engineering and Technology, the two schools came together to organize this 3rd International Engineering Conference (IEC 2019) with the theme: "The Role of Engineering and Technology in Sustainable Development" considering the remarkable attendance and successes recorded at the previous conferences. The conference is aimed at offering opportunities for researchers, engineers, captains of industries, scientists, academics, security personnel and others who are interested in sustainable solutions to socio-economic challenges in developing countries; to participate and brainstorm on ideas and come out with a communiqué, that will give the way forward. In this regard, the following sub-themes were carefully selected to guide the authors' submissions to come up with this communiqué.

- 1. Engineering Entrepreneurship for Rapid Economic Growth.
- 2. Regulation, Standardization and Quality Assurance in Engineering Education and Practice for Sustainable Development.
- 3. Solutions to the Challenges in Emerging Renewable Energy Technologies for Sustainable Development.
- 4. Electrical Power System and Electronic as a Panacea for Rapid Sustainable Development
- 5. Promoting Green Engineering in Information and Communication Technology
- 6. Reducing Carbon Emission with Green and Sustainable Built Environment
- 7. Artificial Intelligence and Robotics as a Panacea for Rapid Sustainable Development in Biomedical Engineering
- 8. Petrochemicals, Petroleum Refining and Biochemical Technology for Sustainable Economic Development.
- 9. Advances and Emerging Applications in Embedded Computing.
- 10. Traditional and Additive Manufacturing for Sustainable Industrial Development.
- 11. Emerging and Smart Materials for Sustainable Development.
- 12. Big Data Analytics and Opportunity for Development.
- 13. Building Information Modeling (BIM) for Sustainable Development in Engineering Infrastructure and Highway Engineering.
- 14. Autonomous Systems for Agricultural and Bioresources Technology.

The conference editorial and Technical Board have members from the United Kingdom, Saudi Arabia, South Africa, Malaysia, Australia and Nigeria. The conference received submissions from 4 countries namely: Malaysia, South Africa, the Gambia and Nigeria. It is with great joy to mention that 123 papers were received in total, with 0.9 acceptable rate as a result of the high quality of articles received. Each of the paper was reviewed by two personalities who have in-depth knowledge of the subject discussed on the paper. At the end of the review process, the accepted papers were recommended for presentation and publication in the conference proceedings. The conference proceedings will be indexed in Scopus.

On behalf of the conference organizing committee, we would like to seize this opportunity to thank you all for participating in the conference. To our dedicated reviewers, we sincerely appreciate you for finding time to do a thorough review. Thank you all and we hope to see you in the 4^{th} International Engineering Conference (IEC 2021).

Engr. Dr. S. M. Dauda

Chairman, Conference Organizing Committee





ACKNOWLEGEMENT

The Chairman and members of the Conference Organizing Committee (COC) of the 3rd International Engineering Conference (IEC 2019) wish to express our gratitude to the Vice Chancellor and the management of the Federal University of Technology, Minna, the Deans and all staff of the School of Electrical Engineering and Technology (SEET) and the School of Infrastructure, Process Engineering and Technology (SIPET) for the support towards the successful hosting of this conference. We also thank the entire staff of the university who contributed in one way or the other. We are sincerely grateful to you all.





EFFECT OF PARTIAL REPLACEMENT OF FINE AGGREGATE WITH SAWDUST IN LIGHT WEIGHT CONCRETE PRODUCTION USING BIDA NATURAL STONE AS COARSE AGGREGATE

Alhaji B.¹, Abubakar M.¹, Yusuf A.¹, Oritola S. F¹, Mohammed S.¹ and Kolo D. N.¹

¹Department of Civil Engineering, Federal University of Technology, Minna *E-mail:balhaji80@yahoo.com*

ABSTRACT

This study investigated the effect of sawdust as partial replacement for Fine Aggregate in light weight concrete production. Sawdust was used to replace Fine Aggregate from 0% to 40% in steps of 5%. 150 x 150 x 150 mm concrete cubes were cast for each replacement level, the concrete was cured and the compressive strengths were determined at 7, 21 and 28days curing period respectively. Increase in percentage of sawdust in concrete led to a constant reduction in the compressive strength values with a corresponding reduction in weight. From the result obtained, 5% replacement of Fine Aggregate with sawdust gave a maximum compressive strength 13.11 N/mm². It was however concluded that the optimum replacement level of 5% can be used as plain concrete for blinding works.

Keywords: Bida, Compressive Strength, Light Weight Concrete, Sawdust

1. INTRODUCTION

The overall relevance of concrete in virtually all Civil Engineering Practice and Building Construction Works cannot be overemphasized (Adewuyi and Adegoke, 2008). Concrete is a combination of cement, aggregates and water, which are mixed in a right proportion to arrive at the strength. The cement and water react together chemically to form a paste, which binds the aggregate particles together. The mixture sets into a rock-like solid mass, which has considerable compressive strength but little resistance to tension (Agbede and Menessh, 2009). However, the construction industry relies heavily on conventional materials such as cement, granite and sand for the production of concrete. The high and increasing cost of these materials has greatly hindered the development of shelter and other infrastructural facilities in developing countries (Olutoge, 2010). Scientists.

Engineers and Technologists are continuously on the lookout for new materials which can be used as substitutes for conventional materials, especially where their properties would enable their use in new designs and innovative applications. There is also an increasingly awareness of the need to re-use or recycle waste. The growing concern of resource depletion and global pollution has challenged many researchers and engineers to seek and develop new materials relying on renewable resources. These include the use of byeproducts and waste materials in building construction. Many of these bye-products are used as aggregates for the production of light weight concrete (Adewuyi and Adegoke, 2008). The most widely used fine aggregate for the making of concrete is the natural sand mined from the river beds. However, the availability of river sand for the preparation of concrete is becoming scarce due to the excessive nonscientific methods of mining from the river beds, lowering of water table and sinking of the bridge piers among others, is becoming common treats (Mageswari and Vidivelli, 2010). The Worldwide consumption of sand as fine aggregate in concrete production is very high and





several developing countries have encountered some strain in the supply of natural sand in order to meet the increasing needs of infrastructural development in recent years (Divakar *et al.*, 2012). Nonetheless, accumulation of unmanaged wastes especially in developing countries has resulted in an increasing environmental concern. However, the increase in the popularity of using environmental friendly, light weight construction materials in building industry has brought about the need to investigate how this can be achieved by benefiting environment as well as maintaining the material requirements affirmed in the standards. Sawdust is an industrial waste in the timber

industry constitute a nuisance to both the health and environment when not properly managed (Elinwa and Abdulkadir, 2011). Wood sawdust wastes are accumulated from the countries all over the world and cause certain serious environmental problems and health hazards. Generation of wood waste in sawmill is an unavoidable hence a great efforts are made in the utilization of such waste (Zziwal *et al.*, 2006). Thus, this research investigates the potential use of wood sawdust wastes to produce a low cost and light weight concrete for construction and engineering purpose.

2. MATERIALS AND METHOD

2.1 Sourcing of materials

The sawdust for this study was collected from a saw mill point at Gidan Kwano, opposite Federal University of Technology Minna, Niger State Nigeria. The sample was carefully collected to avoid mixing with the sand. The natural stones of maximum size of 20mm used as coarse aggregate were obtained from Bida Niger state, Nigeria. Natural sand (having smooth and more rounded particles) passing sieve 5mm used and was collected from a river bed at Gidan Kwano road, Federal University of Technology Minna, Niger State. For use in this concrete production, it was ensured that the sand was clean, sound and well graded according to requirement set by BS812, 1990. Ordinary Portland cements (OPC) conforming to BS12, 1996 was used.

Dangote was used being the most widely recommended material of its kind. Bags of the cement were bought at a retail store in Minna, Niger State. The water which is used for mixing the materials was obtained from a borehole at Gidan Kwano Campus which confirmed to BS3148 (1980) requirements. Therefore, the water is fit for drinking, free from suspended particles and organic materials which might affect hydration of cement.

2.2 Sample preparation

Prior to mixing of the concrete components, tests such as specific gravity tests, moisture content, particle size analysis, loose and compacted bulk density tests, water absorption of aggregates were conducted on sand, saw-dust and gravel. Fine aggregates, cement, sawdust, and water were mixed to from a paste (on which slump and compacting factor tests were conducted) which used to fill the voids around the coarse aggregates. A chemical process called hydration occurred which transformed the semi-liquid mass into a hard, strong engineering material. In this investigation, sawdust was used as partial replacement for the fine aggregate (sand). This work attempts to establish that the mixture of cement, sand - sawdust and gravel might have an equal advantage as the standard mix of cement, sand and gravel. Both mixes are in the proportion 1: 2: 4 (cement, fine aggregate and coarse aggregate) respectively. Eighty one cubes were cast with the same volume proportions. After placing in 150 x 150x 150mm moulds, they were left to set for 24 hours, and kept afterwards in a curing tank. The cured samples were tested after 7, 21 and 28 days for compressive strengths in accordance with BS1881, 1983.





3.0 RESULTS AND DISCUSSION

Table 1: Physical properties of Constituent Materials

Properties	Sawdust	Sand	Gravel
Loose bulk density (g/cm ³)	1.225	1.264	1.367
Compacted bulk Density (g/cm ³)	1.414	1.415	1.488
Water content (%)	7.79	6.19	1.57
Water absorption (%)	14.95	13.55	5.07
Specific gravity	1.37	2.66	2.17

Specific gravity value of 1.37 place the sawdust in the same category as lightweight aggregate while the specific of the sand and the gravel place them in the category of common rock group whose gravities range from 2.62- 3.00 (Neville, 2000). However, the loose and compacted bulk densities for both

Sawdust and that of sand are relatively the same, which makes the two material complimentary. Saw dust was found to have a greater water content value than sand with the difference in the region of 0.19%. This, thus, will cause a reduction in the workability of the fresh concrete.




Figure 1: Particle Size Distribution Curve for Saw dust

It can be seen from the particle size distribution that the sawdust can act as sand and even as minerals fillers by virtue of the distribution.





%	7 Days	21 Days	28 Days
Replacement	Curing	Curing	Curing
0	15.69	21.82	26.27
5	9.20	12.58	13.11
10	6.31	5.73	7.4
15	4.09	5.20	5.42
20	2.98	4.13	5.40
25	2.76	3.02	3.24
30	2.40	2.76	2.93
		1	
35	2.09	2.31	2.53
40	1.60	2.13	2.22

 Table 2: Result of Compressive Strength Test

It is seen from Table 2 that for control cube, the compressive strength increased from 15.69N/mm² at 7days to 26.27N/mm² at 28 days (about 10.58% increment). This is equivalent to grade 25 concrete that has a specified value of 25N/mm² (BS 8110, 1997). The 10% replacement sample gave a value of 7.4N/mm² at 28days which is equivalent to grade 7 concrete that has a value of 7N/mm² specified for plain concrete. It could also be observed that the weight of the cube reduced from 8.5kg for 0% replacement to 7.53kg for 10% replacement at 28 days, which is about 20% reduction in weight. This is evident that presence of sawdust in concrete hinders strength development of cement, thus causing decrease in the compressive strength.

4. CONCLUSION

From the results of the physical and mechanical property test conducted, it was concluded that sawdust is a light weight aggregate which is in agreement with the work of Mageswari amd Vidivelli (2010) and thus, could be used as partial replacement for sand in plain concrete for blinding work.

However, to achieve best result in the use of sawdust in concrete production, optimum replacement level of 5% is recommended. It is also recommended that further works should be conducted with varying w/c rations to determine the optimum.

REFERENCES

- Adewuyi A.P & adegoke T., (2008). Exploratory study of periwinkle shells as coarse aggregate in concrete works. *Journal of Applied Sciences Research*, 4 (12), 1678-1681.
- Agbede O.I and Monash J. (2009). Suitability of periwinkle shell as partial Replacement for Gravel in Concrete. *Leonardo Electronic Journal of Practice and Technologies*, (15), 56-66.
- BS 812: part 2 (1990), Physical properties of aggregate. British Standard Institution, Her Majesty Stationary office London
- BS 812 (1990), Physical properties of aggregate. British Standard Institution, Her Majesty Stationary office London
- BS 8110: Structural use of concrete; Part 1: Code of practice for design and construction, 1997; Part 2: Code of practice for special circumstances, 1985; British Standards Institute, London
- BS 1881 Part 116 (1983). Method for Determining Compressive Strength of Concrete Cubes, British Standard Institution, Her Majesty Stationary office London
- BS 3148 (1980). Specification for concrete water. British Standard Institution, Her Majesty Stationary office London
- Divatar Y., Manjunath S., & Aswath M. U., (2012). Experimental Investigation on Beahaviour of Concrete Fines. *International Journal of* Advance Engineering Reseach, 1 (4), 23-30
- Elinwa A.U & Abdulkadir S., (2011). Characterizing Saw Dust Ash for Use as an Inhibitor for Reinforcement Corrosion. *New Clues in Sciences*, 1, 1-10





- Mageswari M. & Vidivelli B., (2010). The Use of Sawdust Ash as Fine Aggregate Replacement in Concrete. *Journal of Environment Research and Development*, 3 (3), 720-726.
- Mageswari M. & Vidivelli B., (2010). The Use of sheet Glass Powder as Fine Aggregate Replacement in concrete. *The open Civil Engineering Journal*, 4, 65-71.
- Marthong C. (2012). Size Effect study of Saw Dust Ash Concrete under compressive load. *IOSR Journal of mechanical and Civil Engineering* (IOSRJMCE), 2(5), 27-32.
- Murali G. & Ramkumar V.R. (2012). Properties of

Concrete with partial Replacement of Coarse Aggregate. *International Journal of Emerging*

Trends in Engineering and Development, 4 (2), 585-589.

- Neville A.M. (2000). Properties of Concrete. 4 th Edition, Pitman Publishing Ltd, 39 parker Street, London
- Olotoge F.A (2010). Investigations on Sawdust and Plam kernel Shells as Aggregate Replacement. *ARPN Journal of Engineering and Applied Sciences*, 5 (4) 8-12.
- Turgut P. & Algin M.H. (2012). Lime Dust and Wood Sawdust as Brick Materials. *Building and the Environment*. 42, 3399-3403.
- Turgut P. (2007). Cement Composite with Limestone

Dust and Different Grades of Wood Sawdust. Building and Environment, 42, 3801-3807