

**NIGERIAN RESEARCH JOURNAL  
OF  
ENGINEERING  
AND  
ENVIRONMENTAL SCIENCES**

**Vol. 8, No. 4 December 2024**

*Published by:*

*Department of Electrical Engineering, Faculty of Engineering,  
University of Lagos, Akoka, Lagos State, Nigeria*

ISSN: 2635-3342 (Print)

ISSN: 2635-3350 (Online)

DOI provided in partnership with Zenodo



# NIGERIAN RESEARCH JOURNAL OF ENGINEERING AND ENVIRONMENTAL SCIENCES





SUBMIT A  
MANUSCRIPT  
(/manuscript.php)

The Nigerian Research Journal of Engineering and Environmental Sciences (RJEES) is an international journal domiciled in the Faculty of Engineering, University of Benin, Benin City, Edo State, Nigeria. The journal provides a platform for the dissemination of novel research findings and state of the art experimental investigations.

The journal is aimed at encouraging research with a view to providing information on problem solving to the immediate geographic regions and the international community. RJEES adopts the open access model of publication by considering research as a collaborative effort between authors, reviewers, editors and readers. The scope of the journal includes (but not limited to) the areas of Engineering, Environmental Sciences, Pure and Applied Sciences, Information and Communication Technology.

The journal invites original research papers (not previously published or currently under consideration for publication in another journal) as well as reviews on current subjects of interest. All manuscripts are subjected to rapid double blind review by experts in the field and those of high quality are published without delay after consideration of the reviewer's report by the Editor-in-Chief.



ISSN: 2635-3342 (Print)

ISSN: 2635-3350  
(Online)

DOI provided in  
partnership with Zenodo

ISI Impact Factor: In  
progress

**Indexing & Abstracting**

(<https://www.africanresearchers.org/arindex/research-journal-of-engineering-and-environmental-sciences/>)





# NIGERIAN RESEARCH JOURNAL OF ENGINEERING AND ENVIRONMENTAL SCIENCES





## About RJEES



### Aim and Scope

The journal is aimed at encouraging research with a view to providing information on problem solving to the immediate geographic regions and the international community. RJEES adopts the open access model of publication by considering research as a collaborative effort between authors, reviewers, editors and readers. The scope of the journal includes (but not limited to) the areas of Engineering, Environmental Sciences, Pure and Applied Sciences, Information and communication Technology.

### Editorial Board

#### Editor-in-Chief

Engr. Prof. K.O. Obahiagbon

*Chemical Engineering Department, Faculty of Engineering, University of Benin, Benin City, Nigeria*

#### Managing Editor/Journal Manager

Engr. Dr. N.A. Amenaghawon

*Chemical Engineering Department, Faculty of Engineering, University of Benin, Benin City, Nigeria*

#### Members

Engr. Prof. J.A. Akpobi

*Department of Production Engineering, Faculty of Engineering, University of Benin, Benin City, Nigeria.*

Prof. E.S. Adewole

*Department of Petroleum Engineering, Faculty of Engineering, University of Benin, Benin City, Nigeria.*

Prof. F.O. Ekhaise

OPEN  ACCESS

SUBMIT A  
MANUSCRIPT  
(/manuscript.php)



ISSN: 2635-3342 (Print)

ISSN: 2635-3350  
(Online)

DOI: In progress

ISI Impact Factor: In  
progress

### Indexing & Abstracting

 AR Index

(<https://www.africanresearchers.org/arindex-research-journal-of-engineering-and-environmental-sciences/>)

 Google  
Scholar

 Directory of  
Research Journal  
Indexing

 JIF  
JIFACTOR

*Department of Microbiology, Faculty of Life Sciences, University of Benin, Benin City, Nigeria.*

Prof. F.E. Okieimen

*Department of Chemistry, Faculty of Physical Sciences, University of Benin, Benin City, Nigeria.*

Engr. Prof. O.C. Izinyon

*Department of Civil Engineering, Faculty of Engineering, University of Benin, Benin City, Nigeria.*

Prof. Oladele Osibanjo

*Department of Chemistry, University of Ibadan, Nigeria*

Prof Micah Osilike

*Department of Mathematics, University Of Nigeria Nsukka*

Dr. Josiah Okonkwo

*Nnamdi Azikiwe University, Awka, Nigeria*

Dr. John Nduka

*Department of Pure and Industrial Chemistry, Nnamdi Azikiwe University Awka, Nigeria*

Dr. Bing-Lan Liu

*Chaoyang University of Technology, Taiwan*

Dr. Joshua Papadopoulos

*National Technical University of Athens*

Dr. Sivamani Selvaraju

*Kumaraguru College of Technology, Coimbatore, Tamil Nadu, India*

Ethics and Malpractice

Author's Duties

Reviewer's Duties

Editor's Duties

Originality, Plagiarism and Acknowledgement of Sources

Peer Review Process

Indexing and Abstracting

Privacy Statement



(<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Disclaimer

Copyright



(+234) 806 927 5563



rjees@uniben.edu (mailto:#)



Chemical Engineering Department,  
Faculty of Engineering, University  
of Benin, PMB 1154, Ugbowo,  
Benin City, Edo State, Nigeria.



(<http://www.facebook.com/>)



(<http://www.twitter.com/>)



(<http://www.linkedin.com/>)

*Copyright © 2016 Nigerian Research Journal Engineering and Environmental Sciences. All Rights Reserved.*

designed and developed by mavohub (<http://www.twitter.com/oghenemavo>)

[Back \(archives.php\)](#)

## 2016 ARTICLES

Volume 1, Number 1

PARAMETRIC ANALYSIS OF PRESSURE VARIATION OF FLUID IN HYDRODYNAMIC JOURNAL BEARING (abstract/parametric-analysis-of-pressure-variation-of-fluid-in-hydrodynamic-journal-bearing)

\*Erhunmwun I.D, Akpobi J.A

pp. 1-9 [Download Full Text](#) (download/?file=V01-01-01-09.pdf)

STATISTICALLY DESIGNED EXPERIMENTS FOR THE OPTIMISATION OF FURFURAL PRODUCTION FROM CORN COBS (abstract/statistically-designed-experiments-for-the-optimisation-of-furfural-production-from-corn-cobs)

\*Amenaghawon N.A, Ebewele O.E, Osakue I.Y, Uche A.C

pp. 10-17 [Download Full Text](#) (download/?file=V01-01-10-17.pdf)

EFFECT OF SODIUM NITRITE AS A CORROSION INHIBITOR ON WORKABILITY AND STRENGTH DEVELOPMENT OF CONCRETE (abstract/effect-of-sodium-nitrite-as-a-corrosion-inhibitor-on-workability-and-strength-development-of-concrete)

\*Ogirigbo O.R, Ezekiel K.A, Duru F, Owolabi R

pp. 18-26 [Download Full Text](#) (download/?file=V01-01-18-26.pdf)

PHYSICOCHEMICAL EVALUATION OF alpha-CELLULOSE OBTAINED FROM DESTARCHED WHITE AND YELLOW MAIZE CHAFF I: DIRECT COMPRESSION PROPERTIES (abstract/physicochemical-evaluation-of-alpha-cellulose-obtained-from-destarched-white-and-yellow-maize-chaff-i-direct-compression-properties)

\*Eraga S.O, Mbong D.E, Iwuagwu M.A

pp. 27-40 [Download Full Text](#) (download/?file=V01-01-27-40.pdf)



SUBMIT A  
MANUSCRIPT  
(/manuscript.php)



ISSN: 2635-3342 (Print)

ISSN: 2635-3350  
(Online)

DOI: In progress

ISI Impact Factor: In  
progress

### Indexing & Abstracting



(<https://www.africanresearchers.org/arindex-research-journal-of-engineering-and-environmental-sciences/>)



OPTIMIZATION OF NUTRIENT MEDIUM FOR THE PRODUCTION OF BIOETHANOL FROM RICE HUSK USING SACCHAROMYCES CEREVISIAE (abstract/optimization-of-nutrient-medium-for-the-production-of-bioethanol-from-rice-husk-using-saccharomyces-cerevisiae)

\*Amenaghawon N.A, Osakue I.Y, Ebewele E.O, Ehidihamhen S.E

pp. 107-116 Download Full Text [📄](#) (download/?file=V01-01-107-116.pdf)

AN IMPACT ASSESSMENT OF MODEL HUMAN EXPLOITATION ON THE ENVIRONMENT (abstract/an-impact-assessment-of-model-human-exploitation-on-the-environment)

\*Azodo A.P, Ogban P.U

pp. 117-128 Download Full Text [📄](#) (download/?file=V01-01-117-128.pdf)

EXPERIMENTAL UTILIZATION OF URINE TO RECHARGE SOIL MICROBIAL FUEL CELL FOR CONSTANT POWER GENERATION (abstract/experimental-utilization-of-urine-to-recharge-soil-microbial-fuel-cell-for-constant-power-generation)

\*Simeon M.I, Raji A.O

pp. 129-135 Download Full Text [📄](#) (download/?file=V01-01-129-135.pdf)

IMPROVING THE POWER EFFICIENCY OF A LOCALLY FABRICATED COOLING SYSTEM FOR LARGE HALLS (abstract/improving-the-power-efficiency-of-a-locally-fabricated-cooling-system-for-large-halls)

Izevbokun A, \*Olaye E

pp. 136-142 Download Full Text [📄](#) (download/?file=V01-01-136-142.pdf)

PHYSICOCHEMICAL EVALUATION OF alpha-CELLULOSE OBTAINED FROM DESTARCHED WHITE AND YELLOW MAIZE CHAFF II: DISINTEGRANT PROPERTIES (abstract/physicochemical-evaluation-of-alpha-cellulose-obtained-from-destarched-white-and-yellow-maize-chaff-ii-disintegrant-properties)

\*Eraga S.O, Mbong D.E, Iwuagwu M.A

pp. 143-153 Download Full Text [📄](#) (download/?file=V01-01-143-153.pdf)

EXPERIMENTAL DETERMINATION OF THE COMBUSTION CHARACTERISTICS OF COMBUSTIBLE DRY SOLID WASTES (abstract/experimental-determination-of-the-combustion-characteristics-of-combustible-dry-solid-wastes)

\*Egware H.O, Ebu-nkamaodo O.T, Linus G.S

pp. 154-161 Download Full Text [📄](#) (download/?file=V01-01-154-161.pdf)



## Original Research Article

# EXPERIMENTAL UTILIZATION OF URINE TO RECHARGE SOIL MICROBIAL FUEL CELL FOR CONSTANT POWER GENERATION

<sup>1</sup>\*Simeon, M.I. and <sup>2</sup>Raji, A.O.

<sup>1</sup>Department of Agricultural and Bioresources Engineering, Federal University of Technology, PMB 65, Minna, Nigeria

<sup>2</sup>Department of Agricultural and Environmental Engineering, University of Ibadan, Nigeria

\*simeon.imologie@futminna.edu.ng; abdulganij.raji@ui.edu.ng

### ARTICLE INFORMATION

#### Article history:

Received 02 December 2016

Revised 23 January 2017

Accepted 24 January 2017

Available online 20 February 2017

#### Keywords:

Substrate

Urine

Soil

Fuel cell

Microorganisms

Power

### ABSTRACT

*The simplicity of the soil-based microbial fuel cells (MFCs) makes them very attractive, as perhaps, the only natural components they need to run are nutrient-rich soil combined with water to form mud. However, the MFC will cease to produce electricity when the soil runs out of its nutrient-rich characteristics and bacteria. It is against this background that this study was designed to study the possible utilization of urine to recharge soil MFCs that have run out of their nutrient rich characteristics. The mud-watt MFC was utilized for this study. It was run continuously for forty days until the power output was nearly zero. Fresh urine was then introduced into the soil and the power output was determined. The initial (24 hours after set-up) open circuit voltage (OCV) was 219 mV. A maximum OCV of 731 mV was obtained on day 14 of the study. The OCV of the MFC was 7.31 mV on day 40 prior to ejection of urine into the soil. Twenty four hours after the ejection of urine, the OCV was 360 mV and rose to 407 mV forty eight hours later. The OCV remained constant at this value for fifteen days after which urine was re-injected. The voltage drop across seven external loads also showed a similar trend. This study has demonstrated that fresh urine can be successfully utilized to recharge a soil-based MFC that has run out of its nutrient rich characteristics.*

© 2016 RJEES. All rights reserved.

## 1. INTRODUCTION

The two recent global challenges are obviously environmental protection and energy crisis (Singh et al., 2010). The long-term availability of energy from sources that are affordable, accessible, eco-friendly and renewable is crucial to our economic growth and sustainability (Oyedepo, 2012). There have been persistent efforts in research and technology towards the

development of renewable energy sources as perhaps, the most viable solution to the problem of environmental degradation posed by the continuous dependence on fossil-based fuel as the sole sources of energy (Ieropoulos et al., 2012). In addition to the well-known renewable energy sources such as solar energy, wind energy and hydropower, research attention has recently been drawn to MFCs as a potential part of this field of natural energy (Singh et al., 2010). MFCs are devices that use bacteria as the catalyst to oxidize organic and inorganic materials and generate electric current in the process (Logan and Regan, 2006).

MFCs are often classified based on configuration, electrode materials, membranes, number of chambers, source of substrates, microbes used and mechanism of electron transfer to the anode (Shikhi and Rani, 2012). MFCs without exogenous mediators are classified as “mediator-less” or “membrane-less”. They do not require a mediator but use electrochemically active bacteria such as *Shewanella putrefaciens*, *Geobacter* and *Aeromonas hydrophila* to transfer electrons from the bacterial respiratory enzyme to the electrodes (Kim et al., 2003).

Soils have been identified with diverse species of microorganisms, including those that produce electricity by their natural metabolism. Moreover, the aerobic (oxygen consuming) microbes present in the soil act as an oxygen filter, much like the proton exchange membrane (PEM) materials used in double chamber MFC systems. Thus, soil or sediment microbial fuel cells (SMFCs) have been found to be very efficient as long as conditions remain favorable for electric current production by the anode-associated microbes (Ashley and Kelly, 2010). One requirement for a favorable condition of the soil MFC is the availability of the right substrate to replenish the soil organic contents used up over time by microbes during metabolism for enhanced electrogenesis (Rosenberg et al., 1996). When the organic content available in the soil for microbial metabolism is used up, there will be a continuous decline in voltage until the voltage output of the MFC becomes zero (Simeon et al., 2016a). Therefore, there is the need to recharge SMFCs over time in order to have continuous power production.

Urine, which has hitherto been regarded as waste, has been identified as a suitable fuel for MFCs since it contains high amounts of organic compounds such as nitrogen, phosphorous and sulphate (Ieropoulos et al., 2012; Santoro et al., 2013). However, its utilization to recharge SMFC that has run out of its nutrient rich characteristics has, hitherto, not been reported. Therefore, this study is carried out to experimentally determine the re-chargeability of SMFCs with urine in much a similar way as a secondary cell is recharged after its power has been consumed.

## 2. MATERIALS AND METHODS

### 2.1. Soil Sampling and MFC Setup


Topsoil was collected from the vegetable garden at Appleton Junction adjacent U&I restaurant of the University of Ibadan (7°23'47"N 3°55'0"E), Ibadan, Oyo State, Nigeria. The soil sample was collected at a depth of 0-20 cm. This location was chosen because it is a rich farmland where crops have been cultivated over the years. The preparation of mud from soil sample and MFC setup were carried out according to the methods described by Simeon et al.

(2016b). Figure 1 shows MFC components while Figure 2 is a setup showing the cathode (orange coloured electrode on the left) and the anode (green coloured electrode on the right) in position. The schematic diagram of the complete setup is given in Figure 3.

## 2.2. MFC Operation and Recharging

The soil MFC was operated for 40 days without the addition of any substrate. When the power output was approximately zero (indicating that the soil nutrients and carbon contents had been used up due to microbial metabolism), 3 ml of fresh urine was fed into the cell. This volume of urine, which was just sufficient to saturate the soil with water, was added on day 41 and day 57 (16 days interval when a drop in voltage was observed after the first treatment). The daily open circuit voltages (OCVs) and the voltage drop (V) across each of seven external loads (R) (47  $\Omega$ , 100  $\Omega$ , 220  $\Omega$ , 470  $\Omega$ , 1000  $\Omega$ , 2200  $\Omega$  and 4700  $\Omega$ ) was measured with a digital Multi-meter (Kelvin 50LE). The power delivered to each external load was computed from Equation (1), according to Ohm's law.


$$P = \frac{V^2}{R} \quad (1)$$



**Figure 1:** SMFC components



**Figure 2:** Anode and Cathode in MFC Vessel



**Figure 3: Complete MFC Setup.**

### 3. RESULTS AND DISCUSSION

Figure 4 presents the OCV throughout the period of experiment, while Figure 5 presents the voltage drops across seven external resistances. Figure 4 showed that there was a steady increase in OCV from 219 mV (day 1) to 343 mV (day 3), after which the OCV increased exponentially from 414 mV (day 4) to a maximum of 731 mV (day 14). A steady decrease in voltage was observed between days 15 and 18, and then an exponential decrease up to day 40. The trend of Figure 4 within the first 40 days of MFC operation seemed to follow the phases that are typical in bacterial growth, as described by Jenna (2010). These results suggest that microorganisms present in the soil were actually responsible for the electricity generated (Simeon et al., 2016b). The exponential growth, as observed between Days 4 and 15 is very significant in this study. It is an indication that the soil MFC needs no initial charging but charges itself spontaneously to a maximum voltage after which it discharges exponentially if no new substrate is introduced. This is observed between days 15 and 26 as indicated in Figures 4 and 5.




Figure 4: Open circuit voltage of the MFC




Figure 5: Power versus time plot

After a long period of operation (40 days) without replenishing the soil organic compounds and the nutrients, the power output of the MFC became too low ( $5.5 \times 10^{-3} \pm 3.4 \times 10^{-3} \mu\text{W}$ ) for any practical application as can be seen in Figures 5 between days 26 and 40 (14 days). This might be due to a loss of activation energy needed for electrons generation and transfer from or to the compound reacting at the electrode surface and thus a reduced redox reaction at the cathode (Logan and Regan, 2006). The long period of MFC's operation without addition of any substrate or moisture affected microbial metabolism which resulted in the MFC discharge as observed within these 14 days (Simeon et al., 2016b).

Introduction of urine on day 40 might have reactivated the microorganisms and thus increased their metabolism which resulted in increase of OCV from 7.31 mV (day 40) to 360 mV (day 41). The OCV further increased by 13.1 % after 48 hours before it dropped to 162 mV on day 44 of operation. This sudden drop in OCV and the voltage drop across the external loads may be attributed to decay due to urine hydrolysis, or lack of sufficient oxygen for cathodic reaction (Ieropoulos et al., 2012; Santoro et al., 2013). This was only transient as

it was overcome when the MFC's lid was lifted to aerate the cathode. Constant powers were obtained across the external loads between day 45 and 53 as shown in the Figure 5. This is an indication that SMFCs can be fueled with urine to produce constant power. As clearly indicated in Figure 4, there was a sharp drop in OCV from 403 mV on day 54 to 26 mV and 20 mV on days 55 and 56 respectively. This was observed when the research location was changed and the fuel cell was moved from Ibadan (western Nigeria) to Minna (North-Central Nigeria), a distance of about 383 kilometers (238 miles). Thus, this drop in voltage may be due to 'microbial inactivity' due to their disturbance in transit or their reaction to the new environment (Verena, 2012). Their inactivity obviously resulted in loss of metabolism which affected the voltage output (Figure 5). The microorganisms were probably reactivated following the introduction of 3 ml of urine on day 56 as observed by the voltage overshoot from 20 mV (day 56) to 577 mV (day 57). This is an indication that fresh urine environment is well suited for microbial metabolism and proliferation. The voltage drops across the external resistances (Figure 5) are of importance as they describe the ability of the soil MFCs to deliver power to various external loads. Again, the trend of the power versus time plot between days 40 and 55 is an indication that soil MFCs can deliver stable power when fueled with urine; and this is one of the performance considerations for a good power source.

#### 4. CONCLUSION

This study has shown that soil-based MFCs that have run out of their nutrient rich characteristics can be recharged easily with fresh urine. They will be very useful in powering sensors for remote control of farm machineries; especially in remote farms where electricity is not easily accessible. With this demonstration that production of constant power is feasible within the soil-based MFCs' systems fueled with urine, the development of a soil-based bio-battery for practical applications, which can be recharged easily with human urine now draws closer. Consequently, SMFCs can be produced, which will mimic a rechargeable or storage battery that can be charged, discharged into a load, and recharged many times. However, further studies are required to determine the best combination of different factors and optimum conditions for constant power generation of the soil MFC fueled with urine.

#### 5. CONFLICT OF INTEREST

There is no conflict of interest associated with this work.

#### REFERENCES

- Ashley, E.F. and Kelly P.N. (2010). Microbial Fuel Cells: A Current Review. *Energies*, 3, pp. 899-919.
- Ieropoulos, I., Greenman, J. and Melhuish, C. (2012). Urine Utilization by Microbial Fuel Cells: Energy Fuel for the Future. *Physical Chemistry Chemical Physics*, 14(1), pp. 94-98.
- Jenna, R.J. (2010). *Microbial Fuel Cells in Landfill Applications*. A Final Report Prepared for the Environmental Research and Education Foundation Alexandria.
- Kim, B.H., Chang, I.S., Gil, G.C., Park, H.S. and Kim, H.J. (2003). Novel BOD (biological oxygen demand) Sensor using Mediator-less Microbial Fuel Cell. *Biotechnology Letters*, 25 (7), pp. 541-545.

- Logan B.E. and Regan J.M. (2006) Electricity-producing bacterial communities in microbial fuel cells. *TRENDS in Microbiology*, 14(12), pp. 512-518.
- Rosenberg, E., Legman, R., Kushmaro, A., Adler, E., Abir, H. and Ron E.Z. (1996). Oil Bioremediation Using Insoluble Nitrogen Source. *Journal of Biotechnology*, 1, pp. 273-278.
- Santoro, C., Ieropoulos, I., Greenman, J., Cristiani, P., Vadas, T., Mackay, A. and Li, B. (2013). Current generation in Membraneless Single Chamber Microbial Fuel Cells Treating Urine. *Journal of Power Sources*, 238, pp. 190-196
- Shikhi, S. and Rani, A. (2012) Optimization of Growth Medium in Microbial Fuel Cell for Electricity Production by *Paenibacillus*. *International Journal of Science and Research*, 1(3), pp. 74-77.
- Singh, D., Pratap, D., Baranwal, Y., Kumar, B. and Chaudhary, R.K. (2010). Microbial Fuel Cells: A Green Technology for Power Generation. *Annals of Biological Research*, 1(3), pp. 128-138.
- Simeon M.I, Raji O.A., Musa J.J. and Kuti A. (2016a). Determination of the Suitability of Urine as Substrate in a Power Generating Soil Microbial Fuel Cell. In: *Proceedings of the Annual Conference of the School of Engineering & Engineering Technology*: 16-18 August 2016, Federal University of Technology Akure, Nigeria.
- Simeon M.I., Raji O.A., Agidi G. and Adeoye P. A. (2016b). Performance of a Single Chamber Soil Microbial Fuel Cell across Varied External Loads for Power Generation. In: *Proceedings of the 37th Conference and Annual General meeting of the Nigerian Institution of Agricultural Engineers*: 4th - 7th October 2016, Minna, Nigeria.
- Oyedepo, S.O. (2012). Energy and sustainable development in Nigeria: the way forward. *Energy, Sustainability and Society*, 2(1), p. 15.
- Verena, W. (2012). Effects of disturbances on microbial community composition and activity of biofilms from the Great Barrier Reef. *A Dissertation submitted to the Faculty of Biology and Chemistry*, University of Bremen, in fulfillment of the requirements for the degree of Doctor of Natural Science. Retrieved on January 19, 2017 from [elib.suub.uni-bremen.de/edocs/00102631-1.pdf](http://elib.suub.uni-bremen.de/edocs/00102631-1.pdf).

Mail

15 of 329

COMPOSE

Decision on your manuscript RJEES-01-27

Inbox x

rj ees

rjees@unibe

Inbox (70)

Starred

Important

Sent Mail

Drafts (7)

More



rj ees

to me

Jan 13 (7 days ago)

Dear Author,

Your paper titled "**Experimental utilization of urine to recharge soil microbial fuel cell for constant power generation**" with identification number **RJEES-01-27** has been reviewed. However, there are **MODERATE** revisions that must be done before the paper can be included in the next issue of the journal. The reviewers' report and reviewed manuscript have been attached.

**You are consequently requested to revise your paper in accordance with the comments of the reviewers. Please make sure that you address all the reviewers' comments using the attached reviewer forms and reviewed manuscript. Please note that the revision must be made on the manuscript in a manner that is easily identifiable by using different text colours and highlights.**

When submitting your revised manuscript, please carefully and completely attend to the reviewers' comments and also explain in **the attached "RJEES Author response to review" form** the changes made and why. If you do not agree with a reviewers' comments you must say so and explain carefully why you do not agree. Please do not fail to include all authors as well as their affiliations and addresses in the revised manuscript.

**Please make sure you use the attached RJEES standard paper template in preparing your revised manuscript.** You can copy and paste text directly into the document as you see fit. **Pay particular attention to your font type and size, figures, tables and references.** Your figures should be legible enough even when the size is reduced. **Ensure that the references are done according to the journal's format.**

**Please note that your paper may be rejected if the revisions made are not easily identifiable** and the reviewers are not convinced that their concerns have been addressed. The same outcome can also result if your revised paper is not prepared using the RJEES standard paper template and format.

**Please note that in order to publish your paper as quickly as possible, we ask that you submit the revision of your paper within 14 days' time.**

Once again, thank you for submitting your manuscript to the Research Journal of Engineering and Environmental Sciences and I look forward to receiving your revision.

Kind Regards,  
Engr. Prof. K.O. Obahiagbon

**REVIEWER'S GUIDE**

**PART A: Editorial Office Only**

**Comments to the Editor**

\*In this section, the reviewers can make any comment to the editor that will assist in deciding the article status. This information will not be made available to the author(s)

--

**SECTION I**

Reviewer's Name:	
E-Mail:	
Affiliation:	
Country:	Nigeria
Manuscript Number:	RJEES-01-27
Manuscript Title:	<b>EXPERIMENTAL UTILIZATION OF URINE TO RECHARGE SOIL MICROBIAL FUEL CELL FOR CONSTANT POWER GENERATION</b>
Date sent to reviewer:	
Date expected from reviewer:	
Areas of Specialisation (if you wish for your names and affiliation to be uploaded as a reviewer for RJEES):	

**PART B: Reviewer Only**

**SECTION II: Comments per Section of Manuscript**

General comment:	<b>Author(s) should spell check their article and correct uneven spacing observed.</b>
Abstract	<b>Line 9: Watt. Line 9 – 10, how is the power output checked when it was nearly zero? Line 17 – 18, Remove “However, there is need for further study to optimize substrate utilization in soil MFCs for optimum power production”. It should come under conclusion.</b>
Introduction:	<b>Line 52 and 59, there should be a connection between them.</b>
Materials and Methods:	<b>Rephrase Line 103.</b>
Results and Discussion:	<b>Line 114 and 115, explain how? How does transit affect microbial activity, could please provide evidence for that statement (reference)? Has the author(s) replicated the same experiment at the location independent of that conducted in Ibadan?</b>
Conclusion:	<b>Author(s) should do further in-depth investigation as suggested.</b>

References:	<b>Follow the journal's format</b>
Decision:	<b>Minor revision</b>

**SECTION III - Please rate the following: (1 = Excellent) (2 = Good) (3 = Fair) (4 = poor)**

Originality:	2
Contribution to the Field:	2
Technical Quality:	2
Clarity of Presentation :	2
Depth of Research:	3
Completeness	3
Reference	2

**SECTION IV - Recommendation: (Kindly mark with an X)**

Accept as is:	
Requires minor corrections:	<b>X</b>
Requires moderate revision:	
Requires major revision:	
Submit to another publication such as:	
Reject on grounds of (please be specific):	

Do you wish to see and check the manuscript after corrections?

Yes

No

Do you want to be identified to the author(s)?

Yes

No

**SECTION V: Additional Comments**

Please add any additional comments (Including comments/suggestions, if any): Also some corrections of English should be performed.