



Available online at www.sciencedirect.com

ScienceDirect



Procedia - Social and Behavioral Sciences 222 (2016) 863 - 871

ASLI QoL2015, Annual Serial Landmark International Conferences on Quality of Life ASEAN-Turkey ASLI QoL2015

AicQoL2015Jakarta, Indonesia. AMER International Conference on Quality of Life The Akmani Hotel, Jakarta, Indonesia, 25-27 April 2015 "Quality of Life in the Built & Natural Environment 3"

Liveability and Low-income Housing in Nigeria

Mohammad Abdul Mohit*, Sule Abbas Iyanda

^aKulliyyah (Faculty) of Architecture and Environmental Design (KAED), International Islamic University Malaysia (IIUM), Jalan Gombak, 53100 Kuala Lumpur, Malaysia

Abstract

This study examined the quality of life against the backdrop of the existing environment in the public low-income housing estates. Based on the desktop literature the study used both subjective and objective measurements to investigate the liveability of the selected housing estates. Home environment, neighbourhood amenities, economic vitality, social environment and civic protection were examined. The stratified random sampling was used in distributing questionnaire to household heads in all types of homes. Data were analysed with descriptive statistics and structural equation modelling (SEM). This study contributes to the existing body of knowledge in liveability studies in terms of model construct.

© 2016 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

Peer-review under responsibility of AMER (Association of Malaysian Environment-Behaviour Researchers) and cE-Bs (Centre for Environment- Behaviour Studies, Faculty of Architecture, Planning & Surveying, Universiti Teknologi MARA, Malaysia.

Keywords: Liveability; low-income; quality of life; structural equation modelling (SEM)

1. Introduction

The term liveability is nebulous in meaning and as a result it becomes a multi-faceted phrase that different researchers perceived differently. In most cases, the prefix such as city, urban and neighbourhood have been added in various studies. Liveability connotes the ability of a living place to support well-being or quality of life. Literally the world "Liveable" means a place or a building fit for living. Liveability is a concept that describe the existing

^{*} Corresponding author. Tel.: +6-03-6196-5285; fax: +6-03-6196-4864. E-mail address: mamohit@iium.edu.my

conditions of a particular area or a city in relation to what ought to be and the reality of the situation of the inhabitants.

As the city grows, the population pressure persists, and more house units are required to cater for the city dwellers. Therefore in discussing city liveability, housing is a major key indicator. Housing as one of the three most essential needs of man (UN-Habitat, 2006) can be described as an integral part of a human frame which should respond to the need of its inhabitants. It encompasses all the auxiliary services and living environment facilities, which are necessary to human well-being. The right to a safe, secure, healthy and inexpensive adequate housing was enshrined in the Habitat Agenda (2001). This global call for human settlement and shelter encouraged the government of nations to intensifying efforts to provide houses for their citizen in particular for the low-income populace. Prior to this, Nigeria government at various times have introduced different housing policies to solve housing deficit problem. Thus, evidences from some studies, show that Nigerians are still under-housed (Nse, 2012). Nevertheless, both federal government and the state government have continuing building housing units for various levels of income groups (low, middle and high-income) in their respective territory. However, Niger state is one of the 36 states in Nigeria, and the Niger state government is one of the leading providers of public low-income housing to the low-income people among the states in Nigeria. From the foregoing, this study therefore, investigates the liveability of the public low-income housing estates of Niger State, Nigeria.

1.1. Aim

The aim of this study is to examine the quality of life against the backdrop of the living environment in the public low-income housing estates in Niger State of Nigeria.

1.2. Objectives

- To establish various dimensions and indicators of the liveability of public low-income housing through literature review;
- To find out the perception of the residents towards the liveability of the housing estates.
- To find out the factors that significantly influences the perception of the residents' level of satisfaction with their housing estate.
- To assess the fitness of the hypothesized model of liveability of the low-income housing

1.3. Research questions

- What are considered as dimensions and indicators of liveability?
- How residents did perceive their living environment?
- What are the factors that influence the residents' level of satisfaction?
- How useful is the hypothesized model of liveability of the low-income housing?

2. Literature review

The term "liveability" is closely related to the environment. Cambridge Advance Dictionary (2008) define "environment" as the conditions of living and the way the conditions influence how the inhabitants feel. Also, environment has been defined as the external conditions that can affect the life of an individual or group of citizens (Omuta, 1988).

The problem with the concept of liveability has been that scholars created definitions that were appropriate for their research. Consequently, various definitions, dimensions and indicators of liveability circulate in the literature and few examples of definitions of liveability are as follows: The Centre for Liveable Cities Singapore in 2011 define liveability as the city with excellent planning, create a lively, attractive and secure environment for people to live their life, work and play. It also encompasses good governance, a competitive economy, high quality of life and environmental sustainability. Shuhana et al., (2012) opined that high quality of living will affect citizen's lifestyle, health condition and shows stability of the built environment. Liveability according to Castellati (1997) means

experiencing oneself as a real person in the City. Similarly, Southworth (2007) consider it as determinant of how well the City works for its inhabitants. Pacione (2003) opines that liveability is a relative term of which the actual meaning depends on the place, time and purpose of the assessment, and on the value system of the assessor.

On the empirical study, Chaudhury (2005) examined the liveability of the capital city of Bangladesh, Dhaka and the third largest town in Bangladesh, Khulna. The evaluation focused on consumer goods, utility services, housing affordability (rent), social security and environmental conditions. The study findings showed that economic growth of Dhaka makes it more liveable than Khulna. However, the residents of Taman Melati in Kuala Lumpur Malaysia have expressed to continuing living in the area. The residents were satisfied with their living environment although their satisfaction was low on some physical environmental parameters such as noise pollution, air pollution and no brightness of streetlight at night. Non brightness of the streets light at night is link to insecurity of the resident at night (Abdul Azeez *et al.*, 2010). Similarly, Azahan *et al.*, (2009) affirmed that, Seremban in the state of Negeri, Malaysia has the potential to provide a better living condition to inhabitants if the planning authority takes cognisance of its potentialities. Also, urban density and liveability relationship of Fairfield, Newtown in New Zealand and Churton Park in Canada was investigated through a triangulation methodology i.e. quantitative, qualitative and literature review. The measured variables include; connectivity, accessibility, mixed use and density. The study results revealed that more amenities are needed in the area, and improvement of the existing facilities is required. However they (residents) believed their neighbourhood is liveable (Betanzo, 2009).

Omuta (1988) investigated the environmental problems of Benin City, Nigeria through conceptual standards such as employment, housing, amenity, education, nuisance and socio-economic dimensions. The study adopted stratified random sampling of which twenty-one neighbourhoods of Benin City serves as units of assessment. The study analysis shows that the quality of life in the areas and overall environment and liveability of the city is too low. Asiyanbola et al., (2012) studied neighbourhoods' liveability of Ago-Iwoye and Ijebu-Igbo in Ogun State, South-West Nigeria. The findings show that necessary facilities and amenities in the areas were in a disrepair state.

Ekop (2012) conducted principal component analysis to explain the variability of the set of data input for housing quality of Calabar metropolis, Nigeria. The inter-correlations of the data set revealed that socio-economic, housing characteristics and neighbourhood features are essential determinants of the liveability of the Calabar metropolis. However, away from informal housing environment/settlement, Ilesanmi (2012) examined the quality of public housing in Lagos state, Nigeria. His finding shows that public housing in Lagos State, Nigeria were of the low quality. Evidently, there is a dearth of study on the liveability of public low-income housing in Nigeria and this study tends to contribute in this regards. This study benefited from the operational definition of liveability in Flanders and the Netherlands through four dimensions namely:

- Housing/dwelling quality
- Physical environment quality i.e. level of utility services and facilities
- Quality of the social environment
- · Safety of the neighbourhood

In addition, Heylen (2006) discussed a conceptual model based on the 'model about the perception of a residential environment'. (See figure 1)




Fig. 1. Model of the perception of a residential environment

(Source: Heylen, 2006)

3. Methodology

Based on the literature reviewed the dimensions/indicators of liveability identified were grouped into six categories; socio-economic characteristics, economic vitality, housing characteristics, the safety situation, neighbourhood facilities, and social interaction. Thus, the questionnaire explicitly asks questions based on these categories that form the primary source of data and the questionnaire was based on 5-point Likert scale (Mohit and Hannan, 2010). Using stratified random sampling, a total of 400 homes were sampled out of 1000 housing units in three different locations. A total of 366 questionnaires were returned and the analysis conducted includes descriptive statistics, analysis of variance and confirmatory factor analysis.

3.1. The study area

Niger State is one of the states in the North Central Geopolitical Zone of the Federal Republic of Nigeria. It is situated between longitudes 3°.20 E and 7°.40E and latitudes 8°.30 N. Minna, the state capital is approximately 170 kilometres from Federal Capital Territory (F.C.T) Abuja, the Nigeria capital. Niger State has the largest share area of land mass of 76, 469.903 Square Kilometres with 4 million population. Niger State proximity to the Federal Capital Territory (FCT) Abuja has a significant impact on the increasing demand for housing. The Niger state government has intensified efforts to build more low-income homes in the state, therefore, there is need to investigate the living conditions of these housing estates so as to serve as a feedback on the government efforts to house its citizens.

3.2. Results and discussions

3.2.1. Description of socio-economic characteristics of the respondents

The descriptive statistics shows that 79% of the participants are males, and the remaining are females. About 83% are in the age of 31-60 years and close to 94% obtained higher education. Approximately 70% are gainfully employed in both government and private sectors. 85% represents married class and the majority of them 62% have between 5-12 members in the family while 58% of the families have only two persons working. However, 63% earned close to N100, 000,000 per month, 32% about N200, 000,00 monthly and the remaining 5% earned above N200, 000.00 monthly. Furthermore, 76% represent owners' occupied, and 24% are renters. Also, on the length of stay 73% indicates less than ten years while others have lived there between ten years and thirty years. In addition, 75% are from the state, and the other 25% are from other states of Nigeria.

3.2.2. Respondents' liveability perception

The result of the descriptive statistics in Table 1 shows the overall mean satisfaction for the location of the estates, and Table 2 revealed the mean satisfaction for the residential types. The mean satisfaction scores on the liveability dimensions/indicators of the residential environment as measured are shown in Table 3. From Table 1 it is evident that the respondents were satisfied with the location of their housing estates with mean satisfaction score of 3.33 for both M.I. Wushishi and Bosso Estates while the Tunga Low-Cost housing estates mean satisfaction score is 3.45. In addition, respondents are satisfied with the provision of the two and three bedrooms originally constructed with an average value of 3.30 and 3.43 respectively. However, it seems four bedrooms and above is preferable given the average score of those who have added to the number of bedrooms to be 3.82.

T-1-1- 1 II-------------------

Economic vitality

Social interaction

Table 1. Housing estates			
Name	Mean	N	S.D
M.I. Wushishi	3.33	132	0.673
Bosso Estate	3.33	115	0.697
Tunga low cost	3.45	118	0.635
Table 2. Residential types			
Name	Mean	N	S.D
Two bedrooms	3.30	227	0.672
Three bedrooms	3.43	121	0.656
Four bedrooms & above	3.45	17	0.529
Table 3. Liveability dimensions and sati	isfaction mean constructs		
Constructs satisfaction	Mean	N	S.D
Housing characteristics	3.40	366	0.477
Neighbourhood facilities	2.71	365	0.412
Safety environment	2.97	366	0.478

From the Table 3 it is evident that the respondents are satisfied with their economic vitality and housing unit characteristics with mean values of 3.41 and 3.40 respectively. These means that respondents are contended with what they are earning and not affected either by being paying housing loan or being a renter. On the other hand, the respondents express low satisfaction with the following; safety situation, neighbourhood facilities and social interaction with mean values of 2.97, 2.71 and 2.64 respectively. Similar result was found in the study by Ismail et al. (2015) in Malaysia. Further analysis shows that, very low satisfaction expressed by the respondents is attributed

3.41

2.64

366

365

0.757

0.477

to unavailability of some fundamental amenities in the neighbourhoods and lack of preventive measures for safety. For example, no police protection and fire-fighter services in the selected estates. There is also a lack of open spaces, recreational ground for interaction in the estates.

3.2.3. Factors influencing respondents' liveability perception

Analysis of variance (ANOVA) was conducted to explore those factors that influence the respondents' perception of the liveability of their housing environment. The independent variables being 11 socio-economic characteristics (age, gender, marital status, household size, indigene-ship, education, employment status, number of working class, monthly income, length of stay and tenure status) and dependent variable- perception of liveability. In these only two variables were found to have influenced the respondents' perception of liveability of their living environment, these are age bracket with F-cal (4, 360) = 2.450, P-value = 0.046, and employment status as F-cal (4, 360) = 3.079, P-value = 0.016. This result corroborates the findings of the study of liveability of the City of Bhopal, India by Pandey *et al.* (2014). However, other socio-economic characteristics factors have their P-values > 0.05 such as gender F-cal (4, 360) = 0.698, P-value = 0.594, household size F-cal (4, 360) = 2.223, P-value = 0.066, indigeneship F-cal (4, 360) = 1.359, P-value = 0.248, education F-cal (4, 360) = 0.711, P-value = 0.585, number of working class F-cal (4, 345) = 0.895, P-value = 0.467 and monthly income F-cal (4, 353) = 0.917, P-value = 0.454, lengths of stay (residency) F-cal (4, 360) = 0.611, P-value = 0.655 and tenure status F-cal (4, 360) = 0.320, P-value = 0.864. These socio-economic characteristics do not have effect on the residents' perception of liveability of their housing estates. Similar findings were reported in the study by Li *et al.* (2012).

3.2.4. Confirmatory Based-Structural Equation Modelling (CB-SEM)

The focus here is on the model fit; therefore confirmatory factor analysis was conducted to identify the key dimensions of liveability evaluation by the respondents. The confirmatory factor analysis of five-factor constructs of liveability was analyzed with the statistical package for the social science (SPSS version 22) and Analysis of Moment Structure (AMOS version 22) software. To appraise the goodness-of-fit of the hypothesized model, the conventional criteria as found in the literature were considered. For RMSEA value > 0.05 indicates good fit (Marques *et al.*, 2015). The CFI cut off > 0.9 (Navabakhsh and Motlaq, 2009). However, the statistical assumptions required for conducting CFA were carried out. These include; checking for outliers, assess normality distribution – Skewness and Kurtosis, and Multivariate normality (Adul Malek *et al.*, 2009; Marques *et al.*, 2015).

In the hypothesized model of 40 items with five constructs (Model 1), the model result indicates poor model fit. Adul Malek *et al.*, (2009) and Marques *et al.*, (2015) opined that the model should be modified until a 'fit' model is achieved. The factors with unacceptable factor weights were removed (i.e. factor < 0.6). And the modified model was tested (Model 2), although model two was found to be fit but with a factor weight on social interaction > 1.

The standardize factor loading should be between -1 and +1. One of the remaining two-factor loadings of social interaction has a loading of -1.09; therefore the construct of social interaction failed construct reliability and was removed. Hence, the test of the third model and it revealed goodness-of-fit (see Table 4) considering all criterion above as suggested by many authors. However, Table 5 shows the indicators/measurement items of the construct.

able 4. Goodhess of 11t indices						
Name	Chi-square	P-value	Normed chi- square	CFI	RMSEA	
Model 1	4300.319	0.000	5.883	0.615	0.116	
Model 2	515.028	0.000	3.627	0.913	0.085	
Model 3	617.248	0.000	2.731	0.903	0.069	

Table 4. Goodness of fit indices

Note: CFI=Comparative Fit Index; RMSEA= Root Mean Square of Approximation




Fig. 2. Model 3 for the liveability assessment of public low-income housing

Table 5. Indicators/measurement items of the constructs

Constructs	Factor	Description	
Housing characteristics (H_Environ)	HE1	Housing unit size	
	HE2	Living size area	
	HE3	Dining area size	
	HE4	Bedrooms size	
	HE5	Kitchen size	
	HE6	Toilet/bathsize	
	HE9	Affordability	
Economic vitality (E-vital)	EV1	Monthly income	
	EV2	Public transport accessibility	
	EV5	Effects of loan/rent on total income	
		Standard of living	
	EV6		
Neighbourhood facilities (N_facity)	NF1	Children educatio services	
	NF2		
		Healthcare	
	NF3	Services	
		Garbage collection	
	NF6		
	QD1	Recreational facilities	
Safety situation (S_environ)	SE1	Safety of life and property	
	SE2	Availability of security services	

4. Conclusion

In measuring the liveability of the public low-income housing estates in Niger state, Nigeria, firstly, the dimensions and indicators of measuring liveability of housing environment were established through the literature review as this leads to the construct of a conceptual framework for the study.

Secondly, from the survey data, all the respondents were satisfied with the location of their housing estates (see Table 1). However, this finding contrasts with the results of Olotuah and Bobadoye (2009). Their findings revealed that most of the public housing is located in the remote area, and therefore people are dissatisfied with the location. Also, respondents perceived their types of housing units reasonably adequate. Furthermore, analysis of the liveability dimensions construct shows that respondents are satisfied with the affordability of the housing units. On this either paying house loan or being a renter does not have an effect on the respondents' household income for their livelihood. However, low satisfaction was recorded in relation to the safety situation; neighbourhood facilities and social interaction (see Table 3). Therefore, it is recommended that the government should be pro-active in securing the life and properties in the state. Not only guarantee the life and properties but also adequate neighbourhood facilities and maintenance strategies should be in place.

Thirdly, an analysis of variance (ANOVA) conducted shows that only two out of eleven demographic characteristics of the respondents influence their perception of liveability of their housing estates. The two demographic characteristics are age brackets and employment status. Other socio-economic features of the respondents are not significantly influencing their liveability perception, age and employment status explained about 16% and 17% variations respectively in the perception of liveability of their housing environment. This implies that the housing need/required is predicted by age and employment status.

Fourthly, the CFA results of the hypothesized models revealed that a four-factor model with seventeen indicators (model 3) provides an adequate fit to the data. This finding affirmed that the liveability assessment variables used satisfied both the internal reliability and the construct validity, hence validates the theoretical model (Fig. 2). Conclusively, from the analysis it is important that the government consider the findings of this research so as to improve the quality of life of the residents of the selected public housing estates in the state. It can be achieved by providing neighbourhood facilities and improve safety measures in the housing estates. Also for future housing development, it is important to consider homes development beyond two and three bedrooms so as to cater for large families.

References

Abdul Azeez, K. H., Miura, M., Inokuma, S., & Nishimura, Y. (2010). Perception analysis of living environment at Taman Melati residential area. Retrieved from http://fbe.um.edu.my/images/fab/Files/JDBEVOL7/vol7-01.pdf

Abdul Malek, N., Mariapan, M., & Mohd Shariff, M. K. (2012). The making of a quality neighbourhood park: A path model approach. *Procedia - Social and Behavioural Sciences*, 49, 202 – 214.

Asiyanbola, R., Raji, B., & Shaibu, G. (2012). Urban liveability in Nigeria- A pilot study of Ago-Iwoye and Ijebu-Igbo in Ogun State. *Journal of Environmental Science and Engineering*, 1203-1213.

Azahan, A., Jamaluddin, M.J., Lukman, Z. M., Kadaruddin, A., & Kadir, A. (2009). The quality of life in Malaysia's intermediate city: Urban dwellers perspective. European Journal of Social Sciences, 9, 1.

Betanzo, D. M. (2009). Exploring density liveability relationships. The Built & Human Environment Review, 2(1).

Cambridge Advanced Learner's Dictionary (2008). Third edition, Cambridge.

Casselati, A. (1997). The nature of liveability in Lennard, SH et.al (eds). Making cities liveable. *International Making Cities Liveable Conferences, California, USA*: Godolier Press.

Centre for Liveable Cities (2011). Liveable & sustainable cities for the future: World cities summit 2010 Conference Proceedings

Chaudhury, A. H. (2005). Urban liveability, decentralisation and development: A comparative study on Dhaka and Khulna cities URP Discipline, Khulna University

Ekop, G. (2012). An assessment of the interrelationships among housing quality variable sets in Calabar metropolis. *Journal of Geography and Regional Planning*, 5(14), 375-380.

Habitat Agenda (2001). United Nations Human Settlements Programme (UN-HABITAT).

Heylen, K. (2006). Liveability in social housing: three case-studies in Flanders. *Residential Environments and People, ENHR Conference* July 2006. Ljubljana, Slovenia.

- Ilesanmi, A. O. (2012). Housing, neighbourhood quality and quality of life in public housing in Lagos, Nigeria. International Journal for Housing Science, 36(4), 231-240.
- Ismail, F., Jabar, I. L., Janipha, N. A. I., & Razali, R. (2015). Measuring the quality of life in low cost residential environment. *Procedia Social and Behavioral Sciences*, 168, 270 279.
- Li, C., Sun, L. and Jones, P. (2012). Liveability of high-rise housing estates: A resident-centred high-rise residential environment evaluation in Tianjin, China, 48th ISOCARP Congress 2012.
- Marques, D., Pinheiro, M. R., Matos, A. P., & Marques, C. (2015). Confirmatory factor analysis of the QRI Father's Version in a Portuguese sample of adolescents. *Procedia Social and Behavioral Sciences*, 165, 267 274.
- Mohit, M. A., & Hannan, M. H. E. (2012). A study of crime potentials in Taman Melati terrace housing in Kuala Lumpur: Issues and challenges. *Procedia - Social and Behavioral Sciences*, 42, 271 – 283.
- Navabakhsh, M., & Motlaq, M. (2009). Effects of urban information and communication technology on sustainable development. *Journal of Food, Agriculture & Environment*, 7(3&4), 891 897.
- Nse, U. (2012). Exploring the enabling approach to housing through the Abuja mass housing scheme. (Master thesis submitted). Massachusetts Institute of Technology.
- Olotuah, A. O., & Bobadoye, S. A. (2009). Sustainable housing provision for the urban poor: A review of public sector intervention in Nigeria. The Built and Human Environment Review, 2, 51-63.
- Omuta, G.E.D. (1988). The quality of urban life and the perception of liveability: A case study of neighbourhoods in Benin City, Nigeria. Social Indicators Research, 20, 417-440.
- Pacione, M. (2003). Urban environmental quality and human wellbeing-a social geographical perspective. *Landscape and Urban Planning*, 65, 19-30
- Pandey, R.U., Garg, Y.G., & Bharat, A. (2014). Understanding dependency of liveability on socio-economic and demographic parameters. *International Journal of Humanities and Social Sciences (IJHSS)*, 3(1), 61-68.
- Shuhana, S., Nur Rasyiqah A. H., & Fatimah I.B. (2012). Walkable environment in increasing the liveability of a city. ASEAN Conference on Environment-Behaviour Studies, Bangkok, Thailand, 16-18 July 2012.
- Southworth, M. (2007). Morphology of the liveable city In: Urban forms and metropolitan spaces April 2-3 2007, Roma, Università degli Studi di Roma Sapienza, Facoltà di Ingegneria, BERKELY, IT.
- UN-Habitat (2006). Regulatory framework and strategic urban planning and management; Conference paper on housing and urban development, Nairobi, 3-4 April. Retrieved from www.unhabitat.org