


# **ANNUAL INTERNATIONAL CONFERENCE**

27TH - 30TH AUGUST, 2017



Production Supported by

- **Biotechnology Society of Nigeria** Federal University of Technology, Minna
- School of Life Sciences Federal University of Technology, Minna

## CONTENTS

	BIOTECHNOLOGY FOR ZERO HUNGER (BZH)  (Dioscoreabulbiform Internal Service Diversity in Aerial Yam)
101	(Dioscoreabulbifera L.) USING MORPHOLOGICAL AND SIMPLE
001	(Dioscoreabulbifera LENETIC DIVERSITY IN AERIAL YAM
	(Dioscoreabulbifera L.) USING MORPHOLOGICAL AND SIMPLE RESISTANCE OF COWPEA (MICROSTREE CONTROL OF COMPEA (MICROSTREE)
	RESISTANCE OF COMPARKERS
002	RESISTANCE OF COWPEA (VignaunguiculataL. Walp) CULTIVARS TO SINGLE AND DOUBLE INFRAMENCE WITH POTYVIRUS AND
	SINGLE AND DOUBLE INFECTIONS WITH POTYVIRUS AND SOBEMOVIRUS ISOLATES
	SOBEMOVIRUS ISOLATES INFECTIONS WITH POTYVIRUS AND
003	SEED YIELD OF TWO OKRA THE STATES ON GROWTH, FRUIT and
	OKKA WANTETTEE LANGIMING HUSESCUICHEUSUI
004	EVALUATION OF OPTIMAL CULTURE MEDIUM FOR THE MYCELIA
	GROWTH OF Magnoportheoryzae Strains (RICE BALST PATHOGEN)
005	THE EFFECTS OF THE DISEASES CAUSED BY ECTOPARASITES OF
	FRESH WATER FISHES -A REVIEW
006	EFFECT OF DIFFERENT STERILIZING AGENTS IN CONTROLLING
	MICROBIAL CONTAMINATION AND BROWNING IN COCONUT
	(Cocosnucifera L.) INFLORESENCE CULTURE
007	THREATENED MEDICINAL PLANTS OF KANO FLORA AND THE NEED
007	FOR URGENT CONSERVATION
	THE ROLE OF NANOTECHNOLOGY IN FOOD INDUSTRIES- A REVIEW
008	PRODUCTION AND PARTIAL CHARACTERIZATION OF PROTEASE
009	USING MANGO SEED KERNEL AS CARBON SOURCE BY Bacillus
	megaterium  MICROBIOLOGICAL QUALITY ASSESSMENT OF RAW SALAD
010	MICROBIOLOGICAL QUALITY ASSESSMENT OF THE MICROBIOLOGICAL QUALITY ASSESS
	VEGETABLE SOLD IN MINNA METROPOLIS, NIGERIA
	IDENTIFICATION AND MORPHOMETRIC
011	MOLECULAR IDENTIFICATION PRED
	CHARACTERIZATION OF THEIR HYBRIDS
	CHARACTERIZATION OF AMAINST AND THEIR HYBRIDS  ClariasbatrachusLin, Clariasgariepinus Bur AND THEIR HYBRIDS  CHARACTERIZATION OF AFRICAN YAM BEAN USING SEED PROTEIN
012	CHARACTERIZATION OF AFRICAN TAM BEAN COING BEEF THE
	MARKER
	PARAMETER OF COME CECAME
013	EVALUATION OF MORPHOLOGICAL PARAMETER OF SOME SESAME ACCESSION (Sesamumindicum L.) INDIGENOUS TO THE NORTH
	ACCECCION (Sesamullimutes)
	CENTRAL NIGERIA
014	CENTRAL NIGERIA  MUTAGENIC EFFECTS OF COLCHICINE ON THE MORPHOLOGY AND
	TITTO A CITIC OF FOLID DI ANT CDECIE
015	EVALUATION OF LEAF EXTRACTS OF FOUR PLANT SPECIES AGAINST RICE BLAST PATHOGEN (Magnaportheoryzae)
	ACAINST RICE BLAST PATHOUGH (Magnaportheoryzae)
	OF MICEDIA DATE DAIM I PROPIN
016	AGAINST RICE BLAST THE  MOLECULAR PHYLOGENY OF NIGERIA DATE PALM (Phoenis  dactylifera L.) USING RAPD AND ISSR MARKERS  dactylifera L.) USING RAPD AND ISSR MARKERS
	doctylifera L.) USING RAPD AND ISSK MARKERS
	dactymera E.) STE NUCLEOTIDE POLYMORPHISM (SNP
017	dactylifera L.) USING RATE OF DUCLEOTIDE POLYMORPHISM (SNP SELECTION OF BW-GENE OF TOMATO MARKER (LEOH19) FOR SELECTION OF BW-GENE OF TOMATO
	MARVER (LEOH19) FOR
	MAKKER

004	RELATIONSHIP BETWEEN ANTISICKLING POTENCY OF PLANTS AND THEIR AMINO ACID COMPOSITIONS
005	MOLECULAR CHARACTERIZATION LIGNOCELLULOSE DEGRADING BACTERIA ISOLATED FROM GUT OF MOLE CRICKETS FOUND IN
006	PCR DETECTION OF TET A AND TET B GENES IN BACTERIAL ISOLATES FROM ABATTOIRS
007	ANTIOXIDANT AND HEPATOPROTECTIVE POTENTIAL OF METHANOL EXTRACT OF HONEY BEE (Apismellifera) PROPOLIS IN CARBON TETRACHLORIDE INDUCED LIVER DAMAGE
008	EVALUATION OF THE ANTIMALARIAL AND LIVER FUNCTION POTENTIALS OF METHANOL EXTRACT OF Chrysophyllumalbidumstem barkin Plasmodium berghei - INFECTED MICE
009	ASSESSMENT OF SHELF LIFE AND MICROBIAL CONTAMINANTS OF SOME BREAD SOLD IN MINNA, NIGER STATE, NIGERIA
010	PRELIMINARY INVESTIGATION INTO THE THERMOSTABILITY POTENTIAL OF SALMOVAC VACCINE DEVELOPED USING LOCAL STRAINS OF SALMONELLA IN NIGERIA
011	BITTER KOLA-MEDIATED BIOSYNTHESIS OF SILVER NANOPARTICLES: ANTIMICROBIAL AND APPLICATION AS PAINT ADDITIVE
012	SUBCHRONIC TOXICOLOGICAL STUDIES OF CALYX OF Annonasenegalensis USED AS A SLURRY SAUCE
013	ANALYSIS OF MALNUTRITION AND ASSOCIATED FACTORS AMONG CHILDREN UNDER FIVE YEARS IN KAURA LOCAL GOVERNMENT, KADUNA STATE, NIGERIA
014	EVALUATING THE USE OF MICROSCOPIC EXAMINATION AND RAPID DIAGNOSTIC TESTS TO DIAGNOSE MALARIA IN NORTH CENTRAL NICERIA
015	ANTIPLASMODIUM ACTIVITY OF LEAF EXTRACTS OF Cassia nigricans VAHL. (CAESALPINACEAE)
016	ANTIPLASMODIAL ACTIVITY OF TOTAL ALKALIODS EXTRACT AND FLAVONOIDS FRACTION FROM STEM BARK OF EnantiachloranthaIN MICE
017	MICE  MOLECULAR DETECTION OF blaCTX-M AND blaSHV GENES AMONG AEROBIC GRAM NEGATIVE SURGICAL SITE BACTERIAL PATHOGENS AT A TERTIARY HEALTHCARE FACILITY IN ABUJA  AT A TERTIARY HEALTHCARE FACILITY OF OIL EXTRACT FROM Citrus sinensis
018	ANTI-FUNGAL ACTIVITY OF AND NON- DERMATOPHYTE FRUIT BARK On DERMATOPHYTE
019	FUNGI  In-vitro ANTIBACTERIAL ACTIVITY OF CASTOR (Ricinuscommunis)  SEED OIL ON SELECTED PATHOGENS ISOLATED FROM HUMAN

(challenge) of 10<sup>6</sup> colony forming units per o.Simble B, Salmonella paratyphi C) in typhi, Salmonella paratyphi A, Salmonella Paratyphi B, Salmonella paratyphi C) in (challenge) of 106 colony forming units per 0.5 mis of company typhi, Salmonella paratyphi A, Salmonella Falatyphi decreased consistently as the comparison to the control group. The pH of the vaccines decreased consistently as the comparison to the control group. The pH of the value value of storage increases. Therefore, the present study shows that the  $Salm_{0}v_{ac}$ vaccine has a high potential for thermostability. Keywords: Thermostability, Calorimetry, Potency, Salmovac, Enthalpy.

### BHD 011

## BITTER KOLA-MEDIATED BIOSYNTHESIS OF SILVER NANOPARTICLES: ANTIMICROBIAL AND APPLICATION AS PAINT ADDITIVE

Adelere, I. A., Sunday, H. Z., Abdulsalam, R., Adabara, N. U., Bala, J. D. and Oyewole, O. A.

Department of Microbiology, Federal University of Technology, Minna, Nigeria

\*Corresponding author: isiaka.ade@futminna.edu.ng

## Biotechnology Society of Nigeria 2017 Book of Abstracts

#### ABSTRACT

In the present study, aqueous seed extract of bitter kola (Garcinia kola) was used for green synthesis of silver nanoparticles (AgNPs). The biosynthesized AgNPs were characterized by UV-vis spectroscopy, fourier transform infrared spectroscopy (FTIR) and scanning electron microscopy (SEM). The AgNPs were brown in color with maximum absorbance occurring at wavelength 437nm. The FTIR spectrum showed distinct peaks at 3267 and 1635 cm<sup>-1</sup> indicating involvement of proteins in the capping and stabilization of the biosynthesized AgNPs. The particles were spherical in shape with size of 20-60nm. Furthermore, the synthesized AgNPs exhibited strong antibacterial activity against clinical isolates of Staphylococcus aureus and Salmonella typhi while remarkable antifungal efficacy was also demonstrated against strains of Aspergillus niger and Aspergillus fumigatus. The AgNPs incorporated as an additive into white emulsion paint completely inhibited the growth of Staphylococcus aureus, Bacillus subtilis, Aspergillus niger and Aspergillus flavus. Hence, the tremendous antimicrobial activities demonstrated by the AgNPs suggest its promising applications in biomedical field and in the manufacture of novel paint with antimicrobial property. Keywords: silver nanoparticles, green synthesis, Garcinia kola, aqueous extract, antimicrobial property

**BHD 012** 

SUBCHRONIC TOXICÓLOGICAL STUDIES OF CALYX OF Annona senegalensis USED AS A SLURRY SAUCE

\*Muhammad, H. L., Makun, H. A., Busari, M. B., Mann, A., Ma'aji, S., Etu, D. and Yahaya, B.

Department of Biochemistry, Federal University of Technology Minna, Niger State, Nigeria

\*Corresponding Author: hadizalami@futminna.edu.ng

## ABSTRACT

Many plants and plant parts are eaten as food and provide humans with higher nutritional requirements than animals. Calyx of the flowers of Annona senegalensis is used as slurry sauce by the Nupe speaking people of Niger State, Nigeria. Sub-chronic overact of the calyx was carried out for twenty eight 1 1000 mg/kg bodyweight to

Scanned with CamScanner